






FIGURE 1E












DOUNTHY THUNDE






FIGURE 5A




FIGURE 5B






FIGURE 7A








FIGURE 9A






FIGURE 9B





# 

#### 15/31

FIGURE 11A

## 

FIGURE 11B






FIGURE 12



SeAP Activity in CPS

17/31

FIGURE 13







FIGURE 14B



SeAP Activity in CPS







FIGURE 16A










Expression of SeAP 48h after cotransfection of NIH3T3s using 6 nmol of RPR120535B/µg of DNA



SeAP Activity in CPS

# 


#### 23/31

FIGURE 19: Summarizing table of inhibition experiments with antisense transcripts of different lengths

Percentage inhibition of SeAP activity


	size (pb)	antisense (pb)	Conserved sequence	Exp. 1	Exp. 2	Exp. 3	Exp. 3 Exp. 4	Exp. 5
pSeAPAS	3447	1527						
pGJA1	2045	125	3' end of SeAP	70	85	94	06	92
pGJA2	1955	35	5' end of SeAP	24	52	63		
pGJA3	2123	203	5' end of SeAP	14	0	8		
pGJA9	2248	125 +203	2 ends	72	92	77	50	71

24/31




20131

Evaluation of the expression of SeAP 48h after transfection of NIH3T3



26/31 FIGURE 22



SeAP Activity in CPS

Regulation of the expression of SeAP 48h aftertransfection of NIH3T3s using 6 nmoIRPR120535B/μg of DNA in the presence of serum FIGURE 23




FIGURE 24 Decrease in background noise of the hPPARg2





FIGURE 25



ponasterone A

FIGURE 27

